

**MINUTES OF THE 190<sup>TH</sup> MEETING OF THE EXECUTIVE COMMITTEE OF THE COUNCIL OF ARCHITECTURE, HELD ON THURSDAY AND FRIDAY, 14<sup>TH</sup> AND 15<sup>TH</sup> JUNE, 2018, FROM 10.30 A.M. ONWARDS IN THE IN THE OFFICE OF THE COUNCIL OF ARCHITECTURE, CORE 6A, FIRST FLOOR, INDIA HABITAT CENTRE, LODHI ROAD, NEW DELHI – 110 003.**

**FIRST DAY MEETING (14<sup>TH</sup> JUNE, 2018)**

**Present :**

- |                          |                      |
|--------------------------|----------------------|
| 1. Ar. Biswaranjan Nayak | : Chairman, in chair |
| 2. Ar. Vijay Garg        | : Vice-Chairman      |
| 3. Ar. Alok Ranjan       | : Member             |
| 4. Ar. Amogh Kumar Gupta | : Member             |
| 5. Ar. Amitava Roy       | : Member             |
| 6. Ar. Abhay Purohit     | : Member             |

Ar. RaneVedamuthu, Member of the Committee, could not attend the meeting due to her pre-occupation.

**In attendance:**

- |                         |                                |
|-------------------------|--------------------------------|
| Shri R. K. Oberoi       | : Registrar – Secretary        |
| Shri Deepak Kumar       | : Administrative Officer       |
| Shri Deepak Kumar Singh | : Asst. Administrative Officer |

The Chairman welcomed the members attending the meeting and thanked them for sparing their valuable time.

**ITEM NO.1 CONFIRMATION OF THE MINUTES OF THE 186<sup>TH</sup>, 187<sup>TH</sup>and 188<sup>TH</sup>AND 189<sup>TH</sup>MEETING OF THE EXECUTIVE COMMITTEE OF THE COUNCIL OF ARCHITECTURE.**

The Minutes of 186<sup>th</sup>Meeting of the Executive Committee as circulated to the members were confirmed by the Members and signed by the Chairman.

The Minutes of 187<sup>th</sup>,188<sup>th</sup>and 189<sup>th</sup>Meeting of the Executive Committee are being finalized and will be circulated to the members upon approval of the Chairman.

**IN ORDER TO PROVIDE HEARING TO INSTITUTIONS ITEM NO.5 WAS TAKEN UP FIRST AND INSTITUTIONS WHO WERE CALLED ON 14.06.2018 WERE HEARD.**

**ITEM NO.5 TO GRANT PERSONAL HEARING TO INSTITUTIONS WHICH WERE ISSUED SHOW CAUSE NOTICES UPON FINDING OF DEFICIENCY IN THE MAINTENANCE OF MINIMUM STANDARDS BY THE CONCERNED INSTITUTIONS.**

The Executive Committee in previous meeting(s) had issued show cause notices to certain institutions for non-maintenance of minimum standards for fixing up their intake.

The same Institutions filed Review applications against the decision and requested for personal hearing before the Executive Committee. The Executive Committee heard the representatives of the concerned institution(s) and decided as under:

S.No	Institution Address	Course with intake	Inspector	EC Decision
1	[ AP22 ] Vaishnavi School of Architecture and Planning VijayawadaDoor No.10-13, Survey no.240/1, Kalyana Mandapam Bandar Road, Kanuru Vijayawada, Krishna ANDHRA PRADESH	Bachelor of Architecture Present Intake : 40	(M) Mr. AMIT KUMAR GARG(C) Mr. ANIRUDDHA PAL	Rejection of Additional intake of 40

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the rejection letter for additional intake issued by the Council. The EC noted that the new building of the Institution has not started as of now and the Institution will not be able to accommodate the additional batch.

Decision of EC:

The EC decided to reject the appeal for approval additional intake of 40 for the academic session 2018-2019.

2	[ DL07 ] MBS School Of Planning And Architecture, PSP Area, Sector-9, Dwarka, New Delhi	Bachelor of Architecture Present Intake : 120	(M) Ms. RAJKUNWAR NAYAK(C) Mr. ABIR BANDYOPADHYAY	Reduction from 120 to 60
---	---	--	---	--------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

3	[ GJ03 ] D.C.Patel School Of Architecture, Arvindbhai Patel Institute Of Environmental Design Vallabh Vidhyanagar Near Bha ikaka Library, Vallabh Vidyanagar GUJARAT	Bachelor of Architecture Present Intake : 80	(C) Mr. KIRAN S. MAHAJANI(M) Ms. SAPNA PAPU	Reduction from 80 to 40
---	---	---	---	----------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 60 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

4	[ GJ09 ] Shri Gijubhai Chhaganbhai Patel Institute of Architecture, Interior Design and Fine Arts Veer Narmad South Gujarat University University Campus, Udhna-Magadalla Road, Surat GUJARAT	Bachelor of Architecture Present Intake : 30(Restoration Applied For:40)	(M) Mr. CHAKOR AMBARISH MEHTA(C) Mr. RAJIV RAMPHER MISHRA	Reduction from 30 to 20
---	---	--	--	----------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

5	[ GJ20 ] Institute of Architecture & Planning Nirma University Sarkhej- Gandhinagar Highway, Ahmedabad	Bachelor of Architecture Present Intake : 80	(M) Ms. RASHMI ASHTT(C) Mrs. Vandana Sehgal	Reduction from 80 to 60
---	---	---	---	----------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

6	[ HR01 ] Sushant School Of Art & ArchitectureSector- 55, Gurgaon HARYANA, pin code - 122003	Bachelor of Architecture Present Intake : 160	(C) [A] Mr. ABHIJIT DIGAMBAR SHIRODKAR(M) Ms. SAPNA PAPU(M) [A] Mr. VINAYAK SAKHARAM ADANE	Reduction from 160 to 120
---	---	---	--	---------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

7	[ KA37 ] School of Architecture, CMR University, 132, AECS Layout ITPL Main Road, Kundalahalli , Bangalore KARNATAKA	Bachelor of Architecture Present Intake : 80(Restoration Applied For:80)	(C) Mr. R. RADHAKRISHNAN(M) Mr. ANSHUMAN RATH	Reduction from 80 to 60
---	--	--	---	-------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.

Decision of EC:

The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

8	[KL12]College of Architecture Trivandrum Thinavila, Mulayara-P.O., Via. Vellanad Trivandrum-695543 (Kerala)	Bachelor of Architecture Present Intake : 120	No inspection	Reduction from 120 to 80
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>				
9	[ KL17 ] School Of Architecture College Of Engineering And Technology Payyanur, Kaithapram, Mathamangalam P.O. , Kannur KERALA	Bachelor of Architecture Present Intake : 40	(C) [A] Mr. AMIT KUMAR GARG(M) [A] Ms. POOJA MUKUND PATHAK	Reduction from 40 to 20
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 30 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>				
10	[ KL19 ] Global Institute Of Architecture Peradikunnu, Nagaripuram P.O. Patharipala Palakkad District, Palakkad KERALA	Bachelor of Architecture Present Intake : 80	(C) Mr. VINAYAK PANDURANG NABAR(M) Mr. ADITYA KUMAR SINGH	Reduction from 80 to 40

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

11	[ KL22 ] KMEA College of Architecture Kuzhivelipady, Edathala P.O. Aluva, Ernakulam District, Kochi KERALA, pin code -683561	Bachelor of Architecture Present Intake : 80	(C) Mr. NISHANT H. MANAPURE(M) Ms. ANUBHA	Reduction from 80 to 40
----	---	---	---	----------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 60 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

12	[ KL26 ] Marian College of Architecture & Planning Kazhakkuttom P.O. , Thiruvananthapuram KERALA	Bachelor of Architecture Present Intake : 80	(M) Mr. MILIND KESHAVRAO GUJARKAR(C) Mr. JITENDRA SINGH	Reduction from 80 to 40
----	--	---	--	----------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:  The EC fixed intake as 60 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.				
13	[ KL28 ] Nizar Rahim And Mark School Of Architecture Roadvila, Oyur, , Kollam KERALA	Bachelor of Architecture Present Intake : 40	(M) Mr. NILESH DILIPRAO CHAVAN(C) Mr. SANJEEV BUMB	Reduction from 40 to 20
Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.  Decision of EC:  The EC fixed intake as 30 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.				
14	[ KL36 ] Talent Institute of Architecture,TIBAP.O .Mudur, Edappal, Malapuram District, , Malappuram KERALA	Bachelor of Architecture Present Intake : 40	(M) [A] Mr. RAJESH PRADHAN(C) Mr. SHIRISH GOVIND SUKHATME	Reduction from 40 to 20
Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement and faculty is also being paid very less.  Decision of EC:  The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.				
15	[ MH20 ]Smt.Manoramabai Mundle, College of Architecture, L.A.D.College Campus, Seminary Hills, , Nagpur MAHARASHTRA	Bachelor of Architecture Present Intake : 120	(C) Mr. BISWA DATTA(M) Ms. NEENA RAICHA(M) Mr. AMIT MEHTA	Reduction from 120 to 100

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.

Decision of EC:

The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

16	[ MH28 ] Dr.BaliramHiray College of Architecture Sr.No.341, Next to New English School Govt. Colony, Bandra, East, Mumbai MAHARASHTRA	Bachelor of Architecture Present Intake : 160(Restoration Applied For:160)	(M) [A] Mr. ANSHUMAN RATH(M) [P] Mr. VAJRAKUMAR B. MEHTA(C) Mr. ANIL DEWAN	Reduction from 160 to 120
----	--	--	---	------------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to space and faculty requirement.

Decision of EC:

The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

17	[ MH29 ] Pravara Rural College Of Architecture Dist.AhmednagarSad atpur Road, At Post: Loni Tal. Shrirampur, Ahmednagar MAHARASHTRA	Bachelor of Architecture Present Intake : 40	(C) Mr. Rajesh Kumar Kaushal(M) Ms. MADHURA ADINATHRAO YADAV	Reduction from 40 to 30
----	---	---	---	----------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.



Decision of EC:

The EC fixed intake as 30 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

18	[ MH33 ]Sinhgad College of Architecture STES Campus, S.No.44/1, VadgaonBudrak, Off.Sinhgad Road, Pune MAHARASHTRA	Bachelor of Architecture Present Intake : 160	(C) Mr. AMARJIT SINGH(M) Mr. ASHWANI SHIROMANI(M) Mr. K.STANLEY CLEMENT DANIEL	Reduction from 160 to 120
----	---	---	--	---------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

19	[ MH68 ]Pravara Rural Education Society College Of Architecture At: Mohu, Post: Chincholi, Tal: Sinnar District Nashik , Nashik MAHARASHTRA	Bachelor of Architecture Present Intake : 40(Restoration Applied For:40)	(M) [A] Mr. IRSHAD AHMED PUNEKAR(C) [P] Mr. JOHN KURUVILLA	Reduction from 40 to 20
----	---	--	--	-------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

20	[ MH72 ] IDEAL Institute Of ArchitectureGut No.40-1&2 Pimplaz Road, Posheri, Taluka:Wada, Thane, Thane MAHARASHTRA, pin code -421303	Bachelor of Architecture Present Intake : 80	(C) Mr. HEMANT DHANWANT WALA(M) Ms. PREETI SINGHAL	Reduction from 80 to 60
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>				
21	[ PJ06 ] Lovely Professional University, PhagwaraLovely Campus, Jalandhar- Ludhiana G.T.Road Near Chacheru Railway Bridge, Phagwara PUNJAB, pin code -144402	Bachelor of Architecture Present Intake : 120	(M) Mr. GAURISH CHANDAWARKAR(M) Mr. AJAY SAHEBRAO THOMARE(C) Mr. N. RAMASWAMY	Reduction from 120 to 80
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>				

22	[RJ09]-School of Architecture Apex Group of Institution IS-2018, Ramchandrapura Industrial Area Sitapura Extn. Jaipur-302022 (Rajasthan)	Bachelor of Architecture Present Intake : 40	No inspection	Reduction from 40 to 30
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 30 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>				
23	[TN13]-MEASI Academy of Architecture "Association Gardens", New College Campus 87, Peter's Road, Royapettah CHENNAI-600 014 (Tamil Nadu)	Bachelor of Architecture Present Intake : 160	(C) [A] Mr. D.VIJAYA KISHORE (M) Ms. PRAJAKTA SHAILESH BASTE (M) Ms. SUCHITA MANOHAR SAYAJI	Reduction from 160 to 120
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 140 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>				

**ITEM NO.2 TO CONSIDER THE ASSESSMENT REPORTS SUBMITTED BY THE INSPECTION COMMITTEES APPOINTED BY THE COUNCIL FOR GRANT OF APPROVAL TO INSTITUTIONS IMPARTING B.ARCH/M.ARCH. DEGREE COURSES IN THE COUNTRY.**

The Chairman informed the members that the Council is in receipt of assessment reports of Inspection Committees appointed to undertake inspection of institutions for extension of approval, introduction of B.Arch./M.Arch. Courses, additional intake in B.Arch. course etc.

The Executive Committee perused the copies of Assessment Report of Inspection Committee(s) of the Council together with the recommendations of the Scrutiny Committee and authorized the Chairman to finalize the intake of institutions based on their recommendations. Thereafter, the Chairman Executive Committee has approved the intake of institutions as under:

**1. Extension of Approval/Restoration of intake in M.Arch. course –**

S.No	Institution Address	Course	Inspector	Remarks
1	[ AP11 ] School of Architecture Gandhi Institute of Technology and Management,GITA M, Deemed to be University Rushikonda, Visakhapatnam ANDHRA PRADESH, pin code -530045	Master of Architecture ( Sustainable Architecture ) Present Intake : 20	(C) Mr. SRIDHAR RAJAN(M) Ms. GOURI ASHOK DESAI(M) Ms. SANJIVANI RAJIV MOHGAONKAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
2	[ GJ04 ] Faculty Of Architecture Sarvajanik College Of Engineering &TechnologyDr.R.K .Desai Marg, Athwa Lines, Surat GUJARAT, pin code -395001	Master of Architecture ( City Design ) Present Intake : 20	(C) Mr. YOGENDRA PAL SINGH(M) Mr. RAJESH ARJUNSINGH ADVANI(M) Mr. SANJAY GUPTA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

3	[ HR01 ] Sushant School Of Art & ArchitectureSector-55, Gurgaon HARYANA, pin code -122003	Master of Architecture ( Urban Design ) Present Intake : 20	(M) Ms. SAPNA PAPU(M) [A] Mr. VINAYAK SAKHARAM ADANE(C) Mr. ABHIJIT DIGAMBAR SHIRODKAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
4	[ HR01 ] Sushant School Of Art & ArchitectureSector-55, Gurgaon HARYANA, pin code -122003	Master of Architecture ( Built Heritage ) Present Intake : 20	(M) Ms. SAPNA PAPU(M) [A] Mr. VINAYAK SAKHARAM ADANE(C) Mr. ABHIJIT DIGAMBAR SHIRODKAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
5	[ HR01 ] Sushant School Of Art & ArchitectureSector-55, Gurgaon HARYANA, pin code -122003	Master of Architecture ( Landscape Architecture ) Present Intake : 20	(M) Ms. SAPNA PAPU(M) [A] Mr. VINAYAK SAKHARAM ADANE(C) Mr. ABHIJIT DIGAMBAR SHIRODKAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
6	[ HR02 ]DeenBandhuChhotu Ram University Of Science &TechnologyMurth al , Sonapat HARYANA, pin code -131039	Master of Architecture ( Sustainable Architecture ) Present Intake : 20	(M) Ms. LEENA AJAY GARG(C) Mr. PUSHKAR MURLIDHAR KANWINDE(M) Mr. CHINMAY GHOSH	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
7	HR04 - Sat Priya School Of Architecture And Design Jind Road	Master of Architecture Present Intake : 0	(C) Mr. AKHTARHUSAIN M. CHAUHAN (M) [A] Ms. SANDHYA MANJUNATH (M) Ms. T.K. PRASANNA	The Executive Committee observed deficiencies related to faculty and infrastructure and decided that the intake should continue to be 0 (Zero).

8	[ HR08 ]Lingayas University School of Architecture Nachauli, Old Faridabad-Jasana Road , Faridabad HARYANA, pin code -121002	Master of Architecture Present Intake : 20	(M) [P] Mr. UTPAL KUMAR SARMA(M) Ms. SONIA GUPTA(C) [P] Ms. LEENA ARUN KUMAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
9	[ HR09 ] Om Institute Of Architecture & Design Juglan Hisar, Haryana12 Km Stone NH-65 Chandigarh Road Juglan , Hisar HARYANA, pin code -125001	Master of Architecture Present Intake : 10	(C) Mr. UTPAL KUMAR SARMA(M) [A] Mr. NIRMAL KUMAR BEHERA(M) Ms. SONIA GUPTA	The Executive Committee granted extension of approval with an intake of 10 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
10	[ HR11 ] Ganga Institute Of Architecture & Town Planning Kablana, Bahadurgarh-Jhajjar Road , Jhajjar HARYANA, pin code -124104	Master of Architecture ( Landscape Architecture ) Present Intake : 20	(C) Mr. GEORGE LALZUIA(M) Ms. RITU GURUDATTA DESHMUKH(M) Ms. C.REKHA JETTY	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
11	HR12 - Maharishi Markandeshwar University VPO Sadopur , Ambala HARYANA, pin code -134007	Master of Architecture Present Intake : 20	(M) Ms. Namita Kumari Mohapatra (C) [A] Ms. MINAKSHI JAIN (M) Ms. DHARITRI DAS	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
12	[ KA02 ] Manipal School of Architecture and Planning Manipal Academy of Higher Education, AB-2, MIT Campus , Manipal KARNATAKA, pin code -576104	Master of Architecture ( Urban Design and Development ) Present Intake : 20	(C) [A] Mr. S.SATYANARAYANA ACHARY(M) Mr. NILESH DILIPRAO CHAVAN(M) Mr. RAKESH SAPRA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

13	[ KA03 ] BMS College of Architecture BMSCE Campus Post Box No.1908, Bull Temple Road , Bangalore KARNATAKA	Master of Architecture ( Habitat Design ) Present Intake : 20	(M) Mr. Sadiqu Ali D.A.(C) [P] Mr. J. MANOHARAN(M) Mr. ANIL DEWAN	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
14	[ KA11 ] School Of Architecture MS Ramaiah Institute Of Technology BANGALORE Vidya Soudha, M.S.R. Nagar M.S.R.I.T. Post, Bangalore KARNATAKA	Master of Architecture ( Landscape Architecture ) Present Intake : 20	(C) Mr. SHOVAN KUMAR SAHA(M) [P] Mr. HARINDER SINGH BOPARAI(M) [A] Mr. NIKHIL MOHAN MISHRA	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.
15	[ KA12 ] R.V. College of Architecture CA-1, Banashankari 6th Stage 4th Block, Nr.Chikagowdanap alya Village Off.Vajarahalli Main Road , Bangalore KARNATAKA	Master of Architecture (Urban Design) Present Intake : 20	(M) [A] Mr. NIKHIL MOHAN MISHRA(M) Mr. PRASANNA DESAI(C) Mr. MONSINGH DAVID DEVADAS	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
16	[ KA15 ] School of Planning and Architecture University of Mysore, 2nd Floor, Senate Bhavan, Manasagangotri P.O., Mysore KARNATAKA	Master of Architecture ( Urban Design ) Present Intake : 20(Restoration Applied For:20)	(C) Mr. SATISH KUMAR(M) Ms. S. CHITRA(M) Ms. DEEPTI PANDEY	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
17	[ KA17 ] BMS School of Architecture Post Box No.6448, BMSIT Campus Doddaballapur Main Road, Avalahalli, Yelahanka, Bangalore	Master of Architecture ( Urban Design ) Present Intake : 20	(M) Ms. S. CHITRA(M) Ms. DEEPTI PANDEY(C) Mr. SATISH KUMAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

18	[ KL03 ] School Of Architecture MES College Of Engineering, Kuttipuram Malappuram District Kuttipuram, Thrikkanapuram P.O., Malappuram KERALA, pin code - 679573	Master of Architecture ( Advanced Architecture ) Present Intake : 20	(C) [A] Mr. BALJIT SINGH KHURANA(M) [A] Mr. ANAND JAYANT WADWEKAR(M) Ms. NEERJA BABBAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
19	[ KL03 ] School Of Architecture MES College Of Engineering, Kuttipuram Malappuram District Kuttipuram, Thrikkanapuram P.O., Malappuram KERALA, pin code - 679573	Master of Architecture ( Sustainable Architecture ) Present Intake : 10	(C) [A] Mr. BALJIT SINGH KHURANA(M) [A] Mr. ANAND JAYANT WADWEKAR(M) Ms. NEERJA BABBAR	The Executive Committee granted extension of approval with an intake of 10 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
20	[ MH02 ] L.S.Raheja School Of Architecture MUMBAI Raheja Education Complex Opp.Colgate Palmolive Ground Kher Nagar, Bandra (E), Mumbai MAHARASHTRA, pin code -400051	Master of Architecture ( Landscape Architecture ) Present Intake : 20	(M) Mr. RAJENDRA KUMAR(C) Mr. TAPAS MITRA(M) Mr. NISHANT SUMAN	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
21	[ MH12 ] Department of Architecture Jawahar Lal Nehru Engineering College N-6, CIDCO, Aurangabad MAHARASHTRA, pin code -431003	Master of Architecture Present Intake : 20(Restoration Applied For:20)	(C) [P] Mr. VIRENDER KUMAR PANT(M) Mr. BRIJESH SHAIJAL P. K.	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.



22	[ MH12 ] Department of Architecture Jawahar Lal Nehru Engineering College N-6, CIDCO, Aurangabad MAHARASHTRA, pin code -431003	Master of Architecture ( Environmental Architecture ) Present Intake : 20(Restoration Applied For:20)	(C) [P] Mr. VIRENDER KUMAR PANT(M) Mr. BRIJESH SHAIJAL P. K.	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
23	[ MH17 ] Mahatma Education Society's Pillais' College Of Architecture NEW PANVEL Dr.K.M.Vasudevan Pillai's Campus 10, Sector 16, New Panvel MAHARASHTRA, pin code -410206	Master of Architecture ( Urban Design ) Present Intake : 20	(C) Ms. NAMRITA SAUNDH(M) Ms. MANITA CHOUDHARY(M) Mr. CHITTARANJAN RAY	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.
24	[ MH18 ] Rizvi College Of Architecture MUMBAI Rizvi Educational Complex Sherly Rajan Off Carter Road Bandra (W),, Mumbai MAHARASHTRA, pin code -400050	Master of Architecture(U rban Design) Present Intake : 20(Restoration Applied For:20)	(C) Ms. NAMRITA SAUNDH(M) Mr. CHITTARANJAN RAY(M) Ms. MANITA CHOUDHARY	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
25	[ MH19 ] Bharati Vidyapeeth University College Of Architecture Katraj-Dhankawadi PUNE Dhankawadi Campus, Off Pune- SataraRoadKatraj, Pune MAHARASHTRA, pin code -411043	Master of Architecture ( Sustainable Architecture ) Present Intake : 20	(C) Mr. MANOJ MATHUR(M) Mr. NIRMAL KUMAR BEHERA(M) Ms. MINAKSHI JAIN	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

26	[ MH20 ] Smt.Manoramabai Mundle, College of Architecture, L.A.D.College Campus, Seminary Hills, , Nagpur MAHARASHTRA, pin code -440006	Master of Architecture ( Architecture Education ) Present Intake : 20	(C) Mr. BISWA DATTA(M) Ms. NEENA RAICHA(M) Mr. AMIT MEHTA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
27	[ MH21 ] Maharshi KarveStreeShikshan Samstha`sDr.Bhanu benNanavati College Of Architecture For Women PUNE Cummins College of Engineering Campus Karve Nagar, Pune MAHARASHTRA, pin code -411052	Master of Architecture ( Digital Architecture ) Present Intake : 20	(C) [P] Mr. JOHN KURUVILLA(M) Mr. IRSHAD AHMED PUNEKAR(M) Mr. DIVAY GUPTA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
28	[ MH21 ] Maharshi KarveStreeShikshan Samstha`sDr.Bhanu benNanavati College Of Architecture For Women PUNE Cummins College of Engineering Campus Karve Nagar, Pune MAHARASHTRA, pin code -411052	Master of Architecture ( Landscape Architecture ) Present Intake : 20	(C) [P] Mr. JOHN KURUVILLA(M) Mr. IRSHAD AHMED PUNEKAR(M) Mr. DIVAY GUPTA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
29	[ MH21 ] Maharshi KarveStreeShikshan Samstha`sDr.Bhanu benNanavati College Of Architecture For Women PUNE Cummins College of Engineering Campus Karve Nagar, Pune MAHARASHTRA, pin code -411052	Master of Architecture ( Environmental Architecture ) Present Intake : 20	(C) [P] Mr. JOHN KURUVILLA(M) Mr. IRSHAD AHMED PUNEKAR(M) Mr. DIVAY GUPTA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

30	[ MH24 ] Shri V.B.Patil Trust`s AppasahebBirnale College Of Architecture SANGLI South Shivaji Nagar, Sangli-Miraj Road Near Income Tax Office, Sangli MAHARASHTRA	Master of Architecture Present Intake : 0(Restoration Applied For:20)	(C) [P] Mr. ANMOL RATTAN(M) Ms. RUPALATHA R.(M) Mr. SATISH KUMAR KATWAL	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
31	[ MH26 ] Priyadarshini Institute Of Architecture And Design Studies NAGPURPlot No.ES-1, Electronic Zone Square MIDC Area, Hingna Road, Nagpur MAHARASHTRA, pin code -440016	Master of Design( Industrial Design ) Present Intake : 20	(C) Mr. ANJAN MITRA(M) Mr. KALYAN KUMAR MUKHERJEE(M) [A] Ms. LEENA AJAY GARG	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
32	[ MH28 ]Dr.BaliramHiray College of Architecture Sr.No.341, Next to New English School Govt. Colony, Bandra, East, Mumbai MAHARASHTRA	Master of Architecture ( Project Management ) Present Intake : 20(Restoration Applied For:20)	(M) [A] Mr. ANSHUMAN RATH(M) [P] Mr. VAJRAKUMAR B. MEHTA(C) Mr. ANIL DEWAN	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.
33	[ MH30 ] Vivekanand Institute of TechnologysPadma bhushanDr.Vasantdada Patil College of Architecture 274/2, 275/2, 282, Aditya Nisarg at Post Pirangut Taluka Mulshi , Pune MAHARASHTRA, pin code -412115	Master of Architecture ( Urban Design ) Present Intake : 20	(C) Mr. GOPAL SWARUP(M) Ms. RAJINDER KAUR(M) Mr. SARAVANAN N. S.	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

34	[ MH30 ] Vivekanand Institute of TechnologysPadma bhushanDr.Vasantd ada Patil College of Architecture 274/2, 275/2, 282, Aditya Nisarg at Post Pirangut Taluka Mulshi , Pune MAHARASHTRA	Master of Architecture ( Landscape Architecture ) Present Intake : 20	(C) Mr. GOPAL SWARUP(M) Ms. RAJINDER KAUR(M) Mr. SARAVANAN N. S.	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
35	[ MH31 ]M.C.E.Society`s Allana College Of Architecture PUNE 2390-B, K.B.Hidayatullah Road Azam Campus, Camp, Pune MAHARASHTRA, pin code -411001	Master of Architecture (Construction Management) Present Intake : 20	(C) Mr. GOPAL SWARUP(M) Ms. RAJINDER KAUR(M) Mr. SARAVANAN N. S.	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
36	[ MH32 ]PadmashreeDr.D.Y .Patil College of Architecture Sector No.29, NigdiPradhikaran Near AkurdiRly.Station, Pimpri Chinchwad , Pune MAHARASHTRA, pin code -411044	Master of Architecture (Construction Management) Present Intake : 20	(C) Mr. AMARJIT SINGH(M) Mr. K.STANLEY CLEMENT DANIEL(M) Mr. ASHWANI SHIROMANI	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
37	[ MH33 ]Sinhgad College of Architecture STES Campus, S.No.44/1, VadgaonBudrak, Off.Sinhgad Road, Pune MAHARASHTRA, pin code -411041	Master of Architecture ( Architectural Conservation ) Present Intake : 20	(C) Mr. AMARJIT SINGH(M) Mr. ASHWANI SHIROMANI(M) Mr. K.STANLEY CLEMENT DANIEL	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.

38	[ MH33 ]Sinhgad College of Architecture STES Campus, S.No.44/1, VadgaonBudrak, Off.Sinhgad Road, Pune MAHARASHTRA, pin code -411041	Master of Architecture ( Computer Application ) Present Intake : 20	(C) Mr. AMARJIT SINGH(M) Mr. ASHWANI SHIROMANI(M) Mr. K.STANLEY CLEMENT DANIEL	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.
39	[ MH47 ] IDEAS-Institute Of Design Education & Architecture Studies Gat No.124/3, P.H.No.37, Mouza-Hudkeshwar, Taluka-Nagpur, Outer Ring Road Junction Point, Hudkeshwar Road, Nagpur MAHARASHTRA, pin code -440034	Master of Architecture ( Environmental Architecture ) Present Intake : 20	(C) Ms. LEENA ARUN KUMAR(M) Mr. RAJENDRA KUMAR(M) Ms. RACHNA SINHA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
40	[ MH56 ]Dr.DY Patil School of Architecture Dr.DY Patil Patil Knowledge City Charholi,Bk, Via Lohegaon , Pune MAHARASHTRA, pin code -412105	Master of Architecture ( Environmental Architecture ) Present Intake : 20	(C) [A] Ms. MALA MOHAN(M) Mr. VEERENDRA GARG(M) Mr. ANIL NIMESH	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.
41	[ MH62 ]Aayojan School Of Architecture And DesignGat No.289, Village-Warawadi Taluka-Purandar , Pune MAHARASHTRA, pin code -412301	Master of Architecture ( Urban Design ) Present Intake : 20	(M) Mr. IRSHAD AHMED PUNEKAR(C) Mr. JOHN KURUVILLA(M) Mr. DIVAY GUPTA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

42	[ OR02 ]Piloo-Mody College Of Architecture Ajay-Binay Institute Of Technology, Badambadi, Cuttack ODISHA, pin code -753012	Master of Architecture ( Executive ) Present Intake : 20	(C) [A] Mr. KAPIL SETIA(M) Mr. RAJENDRA KUMAR(M) Mr. BALBIR KUMAR BAGGA	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.
43	[ PJ06 ] Lovely Professional University, PhagwaraLovely Campus, Jalandhar-Ludhiana G.T.Road Near Chacheru Railway Bridge, Phagwara PUNJAB, pin code -144402	Master of Architecture ( Executive ) Present Intake : 20	(M) Mr. GAURISH CHANDAWARKA R(M) Mr. AJAY SAHEBRAO THOMARE(C) Mr. N. RAMASWAMY	The Executive Committee observed deficiencies related to faculty and decided to issue show cause notice for reduction of intake from 20 to 10.
44	[ RJ03 ]Aayojan School Of ArchitectureISI-4, RIICO Institutional Block Sitapura, Goner Road Near Mahatma Gandhi Hospital, Jaipur RAJASTHAN, pin code -302022	Master of Architecture ( Urban Design ) Present Intake : 20	(M) Ms. MINAKSHI JAIN(M) Ms. Namita Kumari Mohapatra(C) Mr. VIPIN GUPTA	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
45	[ TN07 ] School of Architecture, Bharat University Institute of Higher Education and Research 173, Agraharam Road, Selaiyur, Tambaram , Chennai TAMIL NADU	Master of Architecture Present Intake : 20	(C) Mr. VIJAY UPPAL(M) Ms. NILADWAITI BASU(M) Mr. VISHAL DATATREYA YARDI	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

46	[ TN08 ] School Of Architecture Hindustan College Of Engineering Kancheepuram District P.O.Bag No.1, Rajiv Gandhi Salai Old Mahabalipuram Road Padur (Via) Kelambakkam, Chennai TAMIL NADU	Master of Architecture (Housing) (Executive) Present Intake : 20	(M) Mr. NILESH VITTHALRAO WAGH(C) [A] Mr. SHUBHRANSHU UPADHYAY(M) Mrs. Rupali Hitendra Gupte	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
47	[ TN10 ] Faculty Of Architecture Sathyabama University CHENNAI Jeppiaar Nagar Old Mamallapuram Road, Chennai TAMIL NADU, pin code -600119	Master of Architecture (Building Management) Present Intake : 20	(M) Ms. KALPANA VINAY BABAR(M) Mr. HANAMANTGOU DA SHIVANGOUDA PATIL(C) Mr. ANURAG ROY	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
48	[ TN10 ] Faculty Of Architecture Sathyabama University CHENNAI Jeppiaar Nagar Old Mamallapuram Road, Chennai TAMIL NADU, pin code -600119	Master of Architecture ( Sustainable Architecture ) Present Intake : 20	(M) Ms. KALPANA VINAY BABAR(M) Mr. HANAMANTGOU DA SHIVANGOUDA PATIL(C) Mr. ANURAG ROY	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
49	[ TN16 ] McGansOoty School of Architecture 5/635, Perar Road, Mynala Post Kotagiri, The Nilgiris TAMIL NADU	Master of Architecture ( Environmental Architecture ) Present Intake : 20 (Restoration Applied For:20)	(C) [P] Mr. RAJENDRA AVINASH DONGRE(M) Ms. NISHITA RAJNISH TADKODKAR	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

50	[ TN18 ] School Of Architecture Meenakshi College Of Engineering, Chennai No.12, Vembuli Amman Koil Street West K.K.Nagar, Chennai TAMIL NADU, pin code -600078	Master of Architecture Present Intake : 20	(C) Ms. RAMA R. SUBRAMANIAN( M) Mr. H.NAMAKRISHN AMURTHY SETTY(M) Mr. NILESH VITTHALRAO WAGH	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
51	TN21 - R.V.S. School of Architecture,Kumar an Kottam Campus, Trichy Road KannampalayamPost , Coimbatore TAMIL NADU	Master of Architecture Present Intake : 20	((C) [P] Mr. RIYAZ USMAN SHAIKH (M) Ms. LEENA AJAY GARG (M) Ms. ANUBHA	The Executive Committee observed serious deficiencies as regard to faculty and decided to issue show cause notice for reduction of intake of 20 to 0.
52	[ TN27 ] SVS School of Architecture J.P.Nagar, ArasampalayamMy leripalayam, Pollachi Taluk , Coimbatore TAMIL NADU, pin code - 642109	Master of Architecture Present Intake : 20	(M) Ms. NEERJA BABBAR(C) Mr. NISHANT H. MANAPURE(M) Mr. NILESH DILIPRAO CHAVAN	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
53	[ TN51 ] Sigma College Of Architecture Moododu, Anducode Post Kanyakumari District , Kanyakumari TAMIL NADU	Master of Architecture Present Intake : 20	(M) Mr. ASHUTOSH KUMAR AGARWAL(C) Mr. OM PRAKASH BAWANE(M) Ms. RAJKUNWAR NAYAK	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
54	[ TN53 ]Kalasalingam School of Architecture Kalasalingam Academy of Research and Education, Deemed to be University Anand Nagar, Krishnankoil , Virudhunagar TAMIL NADU	Master of Architecture ( Habitat Design ) Present Intake : 20	(C) Ms. REKHA JAIN(M) Mr. K.N.GANESH BABU(M) Ms. TAPASYA DAS	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.



55	[ TS02 ] School Of Architecture CSI Institute Of Technology Wesley Boys Degree Campus Opp. Anand Theatre,145, Macintyre Road , Secunderabad TELANGANA	Master of Architecture ( Construction Management ) Present Intake : 20	(M) Ms. SHUBHADA KEDAR CHAPEKAR(M) [A] Ms. MADHUMITA ROY(C) Mr. KANDARPKUMA R H. BHATT	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
56	[ TS02 ] School Of Architecture CSI Institute Of Technology Wesley Boys Degree Campus Opp. Anand Theatre,145, Macintyre Road , Secunderabad TELANGANA	Master of Architecture ( Interior Design ) Present Intake : 20	(M) Ms. SHUBHADA KEDAR CHAPEKAR(M) [A] Ms. MADHUMITA ROY(C) Mr. KANDARPKUMA R H. BHATT	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
57	[ TS07 ] School Of Planning and Architecture Jawaharlal Nehru Institute Of Advanced Studies Jawaharlal Nehru Institute of Advanced Studies JNIAS, 6th Floor, Buddha Bhawan, M.G.Road , Secunderabad TELANGANA	Master of Architecture ( Construction Management ) Present Intake : 20(Restoration Applied For:20)	(C) Mr. R.RAMESH KUMAR(M) Ms. ILA ANNA JOSHI(M) [A] Mrs. Neema Milind Gujarkar	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
58	[ UP06 ] Amity School Of Architecture & Design Amity University, Noida, Uttar Pradesh, Campus: Sector 125, Expressway UTTAR PRADESH, pin code -201301	Master of Architecture Present Intake : 20	(M) Ms. POONAM OHRI (M) Mr. SANJAY APPASO AWATE (C) Mr. ASHVIN CHIMANLAL MODY	The Executive Committee granted extension of approval with an intake of 20 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

59	[ UP16 ] JMS School of Architecture JMS Group of Institution Near Rampur Village, NH-24, Hapur by Pass Road, Hapur UTTAR PRADESH, pin code -245101	Master of Architecture Present Intake : 20	(M) [P] Ms. TANAYA SHARAD VERMA(M) Mr. NISHANT SUMAN(C) Ms. ANITA DHARMAPAL	The Executive Committee observed serious deficiencies related to faculty and infrastructure and decided to issue show cause notice for reduction of intake from 20 to zero.
----	--	--	---	---

## 2. Extension of Approval/Restoration of intake in M.Arch. course –

S.No	Institution Address	Course	Inspector	Remarks
1	[ UP06 ] Amity School Of Architecture & Design Amity University, Noida, Uttar Pradesh, Campus: Sector 125, Expressway UTTAR PRADESH, pin code -201301	Bachelor of Architecture Present Intake : 120	(M) Ms. POONAM OHRI (M) [A] Mr. SANJAY APPASO AWATE (C) Mr. ASHVIN CHIMANLAL MODY	The Executive Committee observed deficiencies related to faculty and infrastructure and decided to issue show cause notice for reduction of intake from 120 to 80.
2	[ HR18 ]P.M.College of Architecture Kami Road, Sonapat HARYANA, pin code -131001	Architecture Present Intake : 0	(M) Mr. KRISHNA KUMAR DHOTE (C) Ms. A. SUJATA	The Executive Committee granted extension of approval with an intake of 30 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.
3.	[ TS09 ] Aurora-S Design Academy Road No.1, Banjara Hills Hyderabad , Hyderabad TELANGANA, pin code -500034	Bachelor of Architecture Present Intake : 0 (Restoration Applied For:40)	(C) Mr. SANTHOSH JOHN(M) Ms. SHUBHADA KEDAR CHAPEKAR	The Executive Committee, based on the compliance received from the institution, granted extension of approval with an intake of 40 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

3. **List of institutions applied for introduction of M.Arch. Course.**

S.No	Institution Address	Course Name	Inspector	Remarks
1	[ KA24 ] SJB School of Architecture and Planning 67 BGS Health and Education City, Uttarahalli Road, Kengeri, Bangalore KARNATAKA, pin code -560060	Master of Architecture (Construction & Project Management)  Intake Applied: 20	(M) Mr. MOHIT KUMAR AGARWAL(C) Mr. ASHVIN CHIMANLAL MODY(M) Mr. SANJAY GUPTA	The Executive Committee decided to accord approval for introduction of M.Arch. course with an intake of 20 for the academic session 2018-19, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council.
2	[ TN07 ] School of Architecture, Bharat University Institute of Higher Education and Research 173, Agraharam Road, Selaiyur, Tambaram , Chennai TAMIL NADU	Master of Architecture ( Landscape Architecture )  Intake Applied: 20	(C) Mr. VIJAY UPPAL(M) Ms. NILADWAITI BASU(M) Mr. VISHAL DATATREYA YARDI	The Executive Committee decided to accord approval for introduction of M.Arch. course with an intake of 20 for the academic session 2018-19, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council.
3	[ TN11 ] School Of Architecture Thiagarajar College Of Engineering MADURAI Thiruparankundram, Madurai TAMIL NADU, pin code - 625015	Master of Architecture  Intake Applied: 20	(M) Mr. HANAMANTGO UDA SHIVANGOUDA PATIL(M) [A] Mr. ANUJ SRIVASTAVA(C) [A] Mr. Jatinder Kumar Saigal	The Executive Committee decided to accord approval for introduction of M.Arch. course with an intake of 20 for the academic session 2018-19, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council.

4	[ MH42 ] BalwantSheth School of Architecture SVKMs NMIMS BalwantSheth School of Architecture SVKMs NMIMS, 5th Floor, Mithibai College Building, V.L.Mehta Road, Vile Parle, West , Mumbai	Master of Architecture  Intake Applied: 20	(C) Mr. UDAYKUMAR HIRALAL SHELAT(M) Mr. Nitin Gurnani(M) Mr. T.L. SHAJI	The Executive Committee decided to accord approval for introduction of M.Arch. course with an intake of 20 for the academic session 2018- 19, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council.
5	[ AP08 ] ANU College Of Architecture & Planning Acharya Nagarjuna University Acharya Nagarjuna University Nagarjuna Nagar , Guntur ANDHRA PRADESH	Master of Architecture  Intake Applied: 20	(C) [P] Mr. K. UDAYA(M) Ms. NANDINI SHASHANK KULKARNI(M) Mr. VIJAY UPPAL	The Executive Committee decided to reject the application of the Institution for introduction of M.Arch. course due to faculty/space deficiency.
6	[ TN28 ] Crescent School Of Architecture Seethakathi Estate, GST Road, Vandalur , Chennai TAMIL NADU, pin code - 600048	Master of Architecture Intake Applied: 20	(C) [A] Mr. SATISH KUMAR KATWAL(M) Mr. KRUNAL HARIVADANBHA I SHAH(M) Mr. KETAN SURYAKANT KIMMATKAR	The Executive Committee decided to accord approval for introduction of M.Arch. course with an intake of 20 for the academic session 2018- 19, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council.
7	[ MH75 ] D.Y.Patil School Of Architecture Sr.No.124 - 126, A/P Ambi Talegaon, Dabhade, Tal- Maval, District Pune, Pune MAHARASHTRA, pin code -410506	Master of Architecture (Environmental Architecture) Intake Applied: 20	(C) Mr. Jatinder Kumar Saigal(M) Ms. MEENA AGARWAL(M) Ms. ANITA SUSEELAN	The Executive Committee decided to accord approval for introduction of M.Arch. course with an intake of 20 for the academic session 2018- 19, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council.

8	[ TS08 ] J.B.R. Architecture College JBR ARCHITECTURE COLLEGE,BHASKAR NAGAR, YENKAPALLY , MOINABAD MANDAL, RANGA REDDY DIST, TELANGANA STATE., Hyderabad TELANGANA, pin code -500075	Master of Architecture ( Environmental Design ) Intake Applied: 20	(C) Mr. R.RAMESH KUMAR(M) Ms. ILA ANNA JOSHI(M) Ms. MAYA SHRINIWAS VAIDYA	The Executive Committee decided to accord approval for introduction of M.Arch. course with an intake of 20 for the academic session 2018- 19, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council.
---	---	--	--	---

**ITEM NO.3 TO CONSIDER THE APPLICATION SUBMITTED BY INSTITUTIONS WHICH WERE NOT INSPECTED FOR GRANT OF APPROVAL FOR IMPARTING B.ARCH/M.ARCH. DEGREE COURSES.**

The Chairman informed the members that the inspection at institution(s) which could not be inspected by the Council before May 31, 2018, was put on hold and their inspection committees were cancelled. Accordingly, it is decided that these institutions be granted approval of otherwise by the Executive Committee based on their application forms/ proposal and other information furnished to Council for grant of extension of approval/additional intake.

Accordingly, the Executive Committee decided as under :

S.No	Institution Address	Course	Remarks
1	PJ07 - RIMT College of Architecture Near Floating Restaurant, Sirhind Side MANDI GOBINDGARH- 147 301 (Punjab)	Bachelor of Architecture Present Intake : 40 Extension &Additional Intake of 40	The Executive Committee granted extension of approval with an intake of 40 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee and further decided to reject the application of the Institution for additional intake due to lack of faculty.

The first day meeting ended at 9.10 p.m. with a vote of thanks to the Chair.

## **SECOND DAY MEETING (15<sup>TH</sup> JUNE, 2018)**

### **Present :**

1. Ar. Biswaranjan Nayak : Chairman, in chair
2. Ar. Vijay Garg : Vice-Chairman
3. Ar. Alok Ranjan : Member
4. Ar. Amogh Kumar Gupta : Member
5. Ar. Amitava Roy : Member
6. Ar. Abhay Purohit : Member

Ar. RaneesVedamuthu, Member of the Committee, could not attend the meeting due to her pre-occupation.

### **In attendance:**

- Shri R. K. Oberoi : Registrar – Secretary  
Shri Deepak Kumar : Administrative Officer  
Shri Deepak Kumar Singh : Asst. Administrative Officer

The Chairman welcomed the members attending the meeting and thanked them for sparing their valuable time.

### **ITEM NO.4 TO CONSIDER REPLY/RESPONSE RECEIVED FROM INSTITUTIONS WHICH WERE ASKED TO PROVIDE RELEVANT INFORMATION/CLARIFICATIONS BY THE COUNCIL FOR EXTENSION OF APPROVAL.**

The Executive Committee in its previous meeting(s) while considering assessment reports of institutions for extension of approval of B.Arch. course decided to seek certain information from some institutions.

The Executive Committee considered the replies/responses/ information received from these institutions and decided as under :

<b>S.No</b>	<b>Institution Address</b>	<b>Course</b>	<b>Information sought</b>	<b>Inspector</b>
1	[ MH76 ] School Of Environment And Architecture Eksar Road, Borivali West , Mumbai MAHARASHTRA, pin code -400091	Bachelor of Architecture Present Intake : 40	Information regarding land	(M) Mr. YATIN NARENDRARAY PANDYA (C) Mr. SATISH YESHWANTRAO KULKARNI

The Executive Committee decided to grant extension of approval with an intake of 40 for the academic session 2018-19 subject to production of NOC/permission letter from the authority which allotted the land to the Society/ Trust - i.e. original allottee–SuvidyaPrasarak Sangh, that the land can be leased to the institution, at the earliest, failing which the Council may take appropriate action in the matter.

2	[ MP04 ] I.P.S.Academys School Of Architecture Rajendra Nagar, Agra- Mumbai Road, Indore MADHYA PRADESH, pin code -452012	Bachelor of Architecture Present Intake : 120	Information regarding salary, TDS of faculty.	(C) Mr. RAJENDRA BHANGARI KOLI (M) Mr. CHANDRASHEK AR M. N.
---	---	---	--	--

The Executive Committee perused the documents submitted by the Institution along with inspection report of the Institution and decided to grant extension of approval with an intake of 120 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

3	[ TN24 ] Designed Environment Academy & Research Institute - DEAR Institute Thirupanchali Road, Pandyapuram Tiruchirappalli District , Tiruchirappalli TAMIL NADU	Bachelor of Architecture Present Intake : 0	Information regarding salary, TDS of faculty.	(C) Mr. MADRAS SRINIVASAN (M) Ms. RASHMI ASHTT
---	---	---	--	---

The Executive Committee perused the documents submitted by the Institution along with inspection report of the Institution. The Executive Committee, after going through the same, noted that the institution had not submitted application forms for the last two academic sessions due to which no inspection could be conducted by the Council. The Executive Committee, therefore, decided to seek the information related to infrastructure and faculty available with the Institution during previous two academic sessions.

4	[ TN34 ] MARG Institute Of Design- and Architecture Marg Swarnabhoomi, Velur Village Cheyyur Post Kanchipuram District , Chennai TAMIL NADU	Bachelor of ArchitecturePresentI ntake : 120	Information regarding salary, TDS of faculty.	(C) Ms. Banani Chattopadhyay (M) Mr. GADDAM DURGA RAMESH
---	--	--	--	---

The Executive Committee perused the documents submitted by the Institution alongwith inspection report of the Institution and decided to grant extension of approval with an intake of 120 for the academic session 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

**ITEM NO.6 TO CONSIDER THE REPLY/RESPONSE(S) RECEIVED FROM INSTITUTIONS WHICH WERE ISSUED SHOW CAUSE NOTICES BY THE EXECUTIVE COMMITTEE FOR NON-MAINTENANCE OF MINIMUM STANDARDS OF COA.**

The Executive Committee in previous meeting(s) while considering the assessment reports of the institution(s) for extension of approval/additional intake for B.Arch. degree course for the academic session 2018-2019 decided to issue show cause notices to certain institutions for non-maintenance of minimum standards of COA.

The Executive Committee considered the he replies/ response(s) received from such institutions and decided as under :

Sl.No.	Name of Institutions	Inspector	Course with Intake	EC Decision
1	[ CG07 ] Chanakya College of Art &Architecture Ring Road No.1, Near Sarona Bridge, Tatibund, Raipur CHHATTISGARH	(C) Mr. N. RAMASWAMY (M) [P] Ms. MAMTA SINGHAL	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 0
The Executive Committee perused the compliance submitted by the Institution alongwith Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 20 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
2	[ DL06 ] University School Of Architecture & Planning Guru Gobind Singh Indraprastha University Sector - 16C Dwarka , New Delhi DELHI	(C) Mr. R.RAMESH KUMAR(M) Mr. SANJEEB KUMAR GURU	Bachelor of Architecture Present Intake : 80	Reduction from 80 to 60
The Executive Committee perused the compliance submitted by the Institution alongwith Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee before commencement of new academic session.				
3	[ GJ17 ]Bhagwan Mahavir College Of ArchitectureSurvey No.149, Nr.Ashirwad Village New City Light Road, B/h. HeenaBunglows Bharthana-Vesu Surat, Surat GUJARAT	(C) Mr. ANURAG ROY(M) [A] Mr. KRISHNA KUMAR DHOTE	Bachelor of Architecture Present Intake : 80	Reduction from 80 to 60



The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

4	[ GJ25 ] Institute of Architecture, Ganpat University, Ganpat Vidyanagar, Mehsana-Gozaria Highway, , Mahesana GUJARAT	(C) [A] Mr. MANOJ MATHUR(M) Mr. BALBIR KUMAR BAGGA	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 30
---	---	--	--	-------------------------

The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 30 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

5	[ HR22 ] Bhagwan Mahaveer School Of Architecture Jagdishpur, Near O.P. Jindal University , Sonapat HARYANA, pin code - 131030	(M) [A] Ms. G.Muthu Shoba Mohan(C) Mr. VIDYADHAR SADASHIV WODEYAR	Bachelor of Architecture Present Intake : 80	Reduction from 80 to 60
---	---	---	--	-------------------------

The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

6	[ KA11 ] School Of Architecture MS Ramaiah Institute Of Technology BANGALORE Vidya Soudha, M.S.R. Nagar M.S.R.I.T. Post, Bangalore KARNATAKA, pin code -560054	(C) Mr. SHOVAN KUMAR SAHA(M) [P] Mr. HARINDER SINGH BOPARAI(M) [A] Mr. NIKHIL MOHAN MISHRA	Bachelor of Architecture Present Intake : 80	Reduction from 80 to 60
---	--	--	--	-------------------------

The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 60 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

7	[ KA34 ] Wadiyar Centre For Architecture 1011, CH20, Krishnaraja Boulevard Chamaraja Mohalla , Mysore KARNATAKA	(C) Ms. RANJANA MITAL(M) Mr. DIVAY GUPTA	Bachelor of Architecture Present Intake : 80	Reduction from 80 to 60
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
8	[ KA36 ] School of Architecture, Reva University, Rukmini Knowledge Park, Kattigenahalli, Yelahanka, , Bangalore KARNATAKA	(C) Mr. VIVEK SABHERWAL(M) Mr. NEERAJ SAUNIK	Bachelor of Architecture Present Intake : 80(Restoration Applied For:80)	Reduction from 80 to 40
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
9	[ KA38 ] School of Architecture,HMS Institute of Technology, NH4, Kesaramadu Post, Kyathasandra, , Tumkur KARNATAKA	(M) Mr. PUNIT SETHI(C) Ms. NEERJA LUGANI	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 20
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
10	[ KL18 ] Asian School Of Architecture And Design Innovation ASADI, Silver Sand Island, Near Vyttila, Kochi KERALA, pin code -682019	(M) [A] Ms. POOJA MUKUND PATHAK(C) [A] Mr. AMIT KUMAR GARG	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 20
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				

11	[ KL23 ] School Of Architecture Mookambika Technical Campus Mookambika Technical Campus Ambika Nagar, EattapillyMannathur, Muvattupuzha , Ernakulam KERALA	(C) Mr. RAJAGOPALAN KRISHNAN(M) Mr. VIVEK KARMAKAR	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 30
The Executive Committee perused the compliance submitted by the Institution alongwith Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
12	[ KL34 ] D C School Of Architecture And Design Pullikkanam, Vagamon Idukki District , Idukki KERALA, pin code -685503	(C) Mr. SANJEEV BUMB(M) Ms. POORVA UJWAL KESKAR	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 30
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
13	[ MH27 ] Indian Education Society s College Of Architecture MUMBAI Vishwakarma M.D. Lotlikar Vidya Sankul Opp. Lilavati Hospital, 791, S.K.MargBandra Reclamation, Bandra W, Mumbai MAHARASHTRA, pin code -400050	(C) Mr. INDRANIL SEN(M) Mr. M.R. KUMARCHANDRA	Bachelor of Architecture Present Intake : 60	Reduction from 60 to 40
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 60 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				

14	[ MH96 ] Pune District Education Associations College of Architecture Sector-28, Pradhikaran, Akurdi, , Pune MAHARASHTRA, pin code -411044	(M) Ms. MADHURA ADINATHRAO YADAV(C) Mr. Rajesh Kumar Kaushal	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 20
The Executive Committee perused the compliance submitted by the Institution alongwith Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
15	[ RJ04 ] Faculty of Architecture Jagannath University, Jaipur Village Rampura, Tehsil Chaksu, Jaipur RAJASTHAN, pin code - 303901	(C) [A] Ms. NANDINI SHASHANK KULKARNI(M) Mr. SAURABH SAXENA	Bachelor of Architecture Present Intake : 120	Reduction from 120 to 60
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.				
16	[ RJ18 ] College of Architecture and Design, Mody University of Science and Technology, N.H.11, Lakshmangarh, , Sikar RAJASTHAN	(M) [P] Mr. RAGHAVENDRAN R.(C) Ms. Tanuja K.C.	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 0
The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 0 for the Academic Year 2018-19 due to shortfall of faculty and infrastructure.				
17	[ TN05 ] School Of Architecture & Interior Design SRM University, Kattankullathur - KANCHEEPURAM DISTRICT (T.N.) S.R.M. Nagar Kattankullathur TAMIL NADU	(C) Mr. GIRISH LAXMANDAS MISTRY(M) Ms. GAUTAMI RAJENDRA DHONSALE(M) Mr. BJIRANG HANMANT SUTAR	Bachelor of Architecture Present Intake : 120(Restoration Applied For:120)	Reduction from 120 to 80

The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

18	[ TN49 ] School of Architecture St.Peters College of Engineering and Technology College Road,Avadi, Chennai TAMIL NADU, pin code -600054	(M) Mr. DHANANJAY MAHADEORAO DESHPANDE(C) [A] Ms. LAXMI NAGRAJ	Bachelor of Architecture Present Intake : 80	Reduction from 80 to 40
----	--	--	--	-------------------------

The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 80 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

19	[ TN79 ] Jaya School of Architecture, Parivakkam Village, Poonamallee Bye-Pass, , Chennai TAMIL NADU	(M) Mr. VAJRAKUMAR B. MEHTA(C) [P] Mr. UTPAL KUMAR SHARMA	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 20
----	--	---	--	-------------------------

The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 30 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

20	[ TN91 ]Rathinam School of ArchitectureRathinamT echzone Campus Pollachi Road Coimbatore-21, Coimbatore TAMIL NADU, pin code - 641021	(C) [P] Mr. Jaydeep Bhagat(M) Ms. DHANASHREE SURESH KELKAR	Bachelor of Architecture Present Intake : 40	Reduction from 40 to 30
----	---	--	--	-------------------------

The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.

S.No	Institution Address	Course with intake	Year of Commencement	Inspector	EC Decision
1	[ KA41 ]Nitte School of Architecture Post box No.6429, Govindapura, Gollahali Village, Yelahanka, NMIT-Off.International Airport Road, NH-7 , Bengaluru KARNATAKA	Bachelor of Architecture Present Intake : 80	2016	(C) Mr. Jatinder Kumar Saigal(M) Mr. MANOJ KUMAR JAIN	Reduction from 80 to 40
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to infrastructure and faculty requirement and also noted that the Institution did not co-operate and facilitate the Inspectors by not providing relevant documents as asked for by the Inspectors during the Inspection.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>					
2	[ MH50 ] ADAs Minerva College of Architecture Sr.No.512, Ambi, Talegaon MIDC Road Taluka Maval , Pune MAHARASHTRA, pin code -410507	Bachelor of Architecture Present Intake : 20(Restoration Applied For:40)	2010	(M) Mr. VEEREND RA GARG(C) Mr. ANIL NIMESH	Reduction from 20 to 0
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to space and faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>					

3	[ MH53 ] VIVA School of Architecture New Building, VIVA Campus At. Shirgaon, Virar-E, Palghar MAHARASHTRA, pin code -401305	Bachelor of Architecture Present Intake : 40	2010	(C) [A] Mr. S.VENKAT A KRISHNA KUMAR(M) Mr. MANISH SHARMA	Reduction from 40 to 30
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>					
4	[ MH57 ] Lokmanya Tilak Institute Of Architecture & Design Sector-4, Vikas Nagar Koperkhairane, Navi Mumbai MAHARASHTRA, pin code -400709	Bachelor of Architecture Present Intake : 80	2011	(M) Mr. ARUN KUMAR RANA(C) Mr. RAJU K.	Reduction from 80 to 60
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>					
5	[ MH67 ] Aditya College Of Architecture C/o Aditya Educational Campus R.M.Bhattad Marg, Ram Nagar, Boravali West, Navi Mumbai MAHARASHTRA, pin code -400092	Bachelor of Architecture Present Intake : 80	2013	(C) Mr. INDRANIL SEN(M) Mr. M.R. KUMARC HANDRA	Reduction from 80 to 60

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to cadre wise faculty requirement.

Decision of EC:

The EC fixed intake as 60 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

6	[ MH77 ]C.T.E.S.College Of Architecture C/o.N.G.Acharya&D.K.M arathe College N.G.Acharya Marg, Chembur , Mumbai MAHARASHTRA, pin code -400071	Bachelor of Architecture Present Intake : 80	2014	(C) Mr. UDAYAN (M) Mr. KRUNAL HARIVAD ANBHAI SHAH	Reduction from 80 to 40
---	--	--	------	---	-------------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.

Decision of EC:

The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

7	[ PJ01 ] Faculty Of Physical Planning & Architecture Guru Nanak Dev University AMRITSAR , Amritsar PUNJAB, pin code - 143005	Bachelor of Architecture Present Intake : 82	1986	(M) Mr. SUNIL BALKRISH NA PATIL(C) [A] Ms. REKHA JAIN	Reduction from 82 to 40
---	--	--	------	--	-------------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.



Decision of EC:  The EC fixed intake as 82 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.					
8	[ PJ03 ] Indo Global College of Architecture Village Abhipur, Tehsil Kharar Distt-S.A.S.Nagar, Mohali-140 109 (Punjab)	Bachelor of Architecture Present Intake : 80	2003	No inspection	Reduction from 80 to 60
Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. Decision of EC:  The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.					
9	[PJ09]-Sai School of Architecture Manawala Amritsar-143115, Punjab	Bachelor of Architecture Present Intake : 20	2011	No inspection	Reduction from 20 to 0
Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.  Decision of EC:  The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.					
10	[ TN31 ]M.A.M.School Of Architecture Trichy-Chennai Trunk Road, Siruganur Tiruchirappalli , Tiruchirappalli TAMIL NADU, pin code - 621105	Bachelor of Architecture Present Intake : 40	2010	(C) Mr. MADRAS SRINIVAS AN(M) [A] Mr. NIRUBHAI JASMATB HAI HIRPARA	Reduction from 40 to 30

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 30 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

11	[TN40] Prime College of Architecture & Planning Main Road, Kilvelur-Nagapattinam District (Tamil Nadu)	Bachelor of Architecture Present Intake : 80	2011	No inspection	Reduction from 80 to 30
----	--	---	------	---------------	-------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.

Decision of EC:

The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session. The Executive Committee further decided to reject the application for additional Intake due to lack of faculty.

12	[TN45] DA Vinci School of Design and Architecture Rajiv Gandhi Salai, Karapakkam Chennai-600097	Bachelor of Architecture Present Intake : 80	2012	No inspection	Reduction from 80 to 60
----	--	---	------	---------------	-------------------------

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.

Decision of EC:

The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council. The Executive Committee further decided to reject the application for additional Intake due to lack of faculty.

13	[ TN71 ]Kongu School of Architecture Kongu Engineering College Campus, Perundurai Railway Station Road, Thoppupalayam, PO., Perundurai, , Erode TAMIL NADU	Bachelor of Architecture Present Intake : 40	2015	(M) Mr. DUSHYAN T PRABHAKAR KAMAT(C) Mr. ANUJ SRIVASTAVA	Reduction from 40 to 20
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>					
14	[ TN73 ]V.P.M.M.College of Architecture for Women V.P.M. Nagar, Krishnankoil, Srivilliputtur , Virudhunagar TAMIL NADU	Bachelor of Architecture Present Intake : 40	2015	(C) Mr. PRAFULLA VASANT MHATRE(M) Mr. NEERAJ SAUNIK	Reduction from 40 to 20
<p>Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 30 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>					
15	[ TS11 ] Ashoka School of Planning and Architecture, Malkapur Village, Choutuppal Mandal, Nalgonda District Malkapur Village, Nalgonda TELANGANA	Bachelor of Architecture Present Intake : 40	2015	(C) [A] Mr. JOY SEN(M) [P] Mr. ARABIND A PRASAD DAS	Reduction from 40 to 30

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.  
Decision of EC:

The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council. The Executive Committee further decided to reject the application for additional Intake due to lack of faculty.

16	[ UP18 ] School Of Architecture & Planning, Sharda University, Plot No.32,34 Knowledge Park-III , Greater Noida UTTAR PRADESH, pin code -201306	Bachelor of Architecture Present Intake : 120(Restoration Applied For:120)  Master of Architecture Present Intake : 20	2011	(C) [A] Mr. RAJESH GORDHA NBHAI PATEL(M) Mr. MOHAM MED ALI SHARIEFF(M) Ms. CHATTERJEE	Reduction from 120 to 60  Reduction from 20 to 10
----	---	--	------	---	---

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 80 for B.Arch Course and 10 for M.Arch for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

17	[WB05] OmDayal School of Architecture Plot No.38(A), 38(P), 39A & 39(P) Uluberia Industrial Growth Centre, Uluberia Distt.Howrah-711 316 (West Bangal)	Bachelor of Architecture Present Intake : 80	2011	No inspection	Reduction from 80 to 60
<p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p>					

**ITEM NO.7 TO CONSIDER THE LETTER DATED 01.06.2018, RECEIVED FROM, DIRECTOR, VIDYAVARDHAN'S IDEA, NASHIK (MH48).**

The Chairman informed the members that Council vide its letter no.CA/5/Academic-MH-48 dated 31.05.2018 sent its letter of extension of approval to the Vidyavardhan's Institute of Design Environment and Architecture, Nashik, with an intake of 40 for the academic session 2018-2019.

In response the Director of the above Institution vide letter dated 01.06.2018 stated that the Institution had applied for restoration of intake of 80, whereas the communication received from the Council for sanction of 40 intake might be due to a typographic error.

The Executive Committee deliberated in the matter and decided that as the institution has applied only for Extension of Approval and submitted for fees for the same, its application could not be considered for Additional Intake. Further, as the intake of 40 was sanctioned to the Institution last year by the Hon'ble Bombay High Court no restoration of intake is permissible.

**ITEM NO.8 TO CONSIDER THE FURTHER LEGAL OPINION DATED 10.05.2018, RENDERED BY THE COUNCIL'S ADVOCATE REGARDING LETTER DATED 13.02.2017, RECEIVED FROM CBI, ACB, MUMBAI.**

The Executive Committee noted that the Committee at its 181st Meeting held on 08.12.2017, considered the Legal Opinion of Shri V. N. Raghupathy, Advocate on the letter dated 13.02.2017 received from CBI, ACB, Mumbai.

The Executive Committee resolved that a detailed legal opinion be sought from the Advocate after providing him with all the relevant records/ files.

In pursuance of the above, the Shri Raghupathy was requested by the Council vide letter dated 09.03.2018, to visit the office of the Council for inspection of all the relevant records for rendering his detailed legal opinion in the matter.

The Committee perused the legal opinion and noted that the CBI has not provided any document in support of their findings of any wrong doing by the Inspectors. It also noted that all the records including inspection report in question are with the CBI only and that one of inspectors namely Shri Sharad Panchal has passed away in the mean time. After careful consideration from different angles, the EC decided that the CBI may be requested to provide all detailed information about the above to take further action.

**ITEM NO.9 ANY OTHER ITEM WITH THE PERMISSION OF THE CHAIR.**

No other item was discussed.

The meeting ended at 7.30 pm. with a vote of thanks to the Chair.

R. K. Oberoi  
Registrar – Secretary

Biswaranjan Nayak  
President

Dated :