

MINUTES OF THE 192nd MEETING OF THE EXECUTIVE COMMITTEE OF THE COUNCIL OF ARCHITECTURE, HELD ON MONDAY, 2ND JULY, 2018, FROM 10.00 A.M. ONWARDS IN THE IN THE OFFICE OF THE COUNCIL OF ARCHITECTURE, CORE 6A, FIRST FLOOR, INDIA HABITAT CENTRE, LODHI ROAD, NEW DELHI – 110 003.

Present :

1. Ar. Biswaranjan Nayak : Chairman, in chair
2. Ar. Vijay Garg : Vice-Chairman
3. Ar. Alok Ranjan : Member
4. Ar. Amogh Kumar Gupta : Member
5. Ar. Amitava Roy : Member
6. Ar. Abhay Purohit : Member

Ar. Ranees Vedamuthu, Member, could not attend the meeting due to her pre-occupation.

In attendance:

- Shri R. K. Oberoi : Registrar – Secretary
Shri Deepak Kumar : Administrative Officer
Shri Deepak Kumar Singh : Asst. Administrative Officer

The Chairman welcomed the members attending the meeting and thanked them for sparing their valuable time.

ITEM NO.1 CONFIRMATION OF THE MINUTES OF THE 187TH, 188TH, 189TH, 190TH AND 191ST MEETING OF THE EXECUTIVE COMMITTEE OF THE COUNCIL OF ARCHITECTURE.

The Minutes of 187th, 188th, 189th, 190th and 191st Meeting of the Executive Committee are being finalized and will be circulated to the members shortly.

ITEM NO.2 TO GRANT PERSONAL HEARING TO INSTITUTIONS WHICH WERE ISSUED SHOW CAUSE NOTICES UPON FINDING OF DEFICIENCY IN THE MAINTENANCE OF MINIMUM STANDARDS BY THE CONCERNED INSTITUTIONS.

The Executive Committee in its previous meeting(s) upon perusal of the proposal/information submitted by the concerned Institution(s) decided to issue show cause notices to certain institutions for non-maintenance of minimum standards.

The Executive heard representatives of the Institutions which filed review application against the decision and requested for personal hearing and decided as under :

| S.No | Name of Institution with code & Address | Course with intake | Inspector | EC Decision |
|---|---|---|--|-------------------------|
| 1 | [GJ22] Kalol Institute Of Architecture & Design, Tal: Kalol Distt.Gandhinagar, Gandhinagar GUJARAT | Bachelor of Architecture Present Intake : 80 | (C) Mr. MANMOHAN KHANNA(M) Ms. ARADHANA | Reduction from 80 to 20 |
| <p>Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 2 | KA01-School of Architecture University Visvesvaraya College of Engineering Bangalore University, Jnana Bharathi BANGALORE - 560 056 (Karnataka) | Bachelor of Architecture Present Intake : 40 | No inspection | Reduction from 40 to 20 |
| <p>The matter was deferred as per request of the Institution.</p> | | | | |
| 3 | [UP09] Institute Of Architecture And Town Planning Bundelkhand University Kanpur Road, Jhansi UTTAR PRADESH, pin code - 284128 | Bachelor of Architecture Present Intake : 30 (Restoration Applied For:40) | (C) [P] Mr. CHANDRAVINOD DAMODAR PATHAK(M) Ms. ANAMIKA | Reduction from 30 to 0 |
| <p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |

| | | | | |
|--|---|--|---|-------------------------|
| 4 | [UP16] JMS School of Architecture JMS Group of Institution Near Rampur Village, NH-24, Hapur by Pass Road, Hapur UTTAR PRADESH, pin code - 245101 | Bachelor of Architecture Present Intake : 40 | (M) [P] Ms. TANAYA SHARAD VERMA(M) Mr. NISHANT SUMAN(C) Ms. ANITA DHARMAPAL | Reduction from 40 to 0 |
| <p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is seriously deficient as related to space faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 0(Zero) for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 5 | [UP23] School Of Architecture & Town Planning, R.R.Instituten Of Modern Technology, NH-24, Bakshi Ka Talab, Sitapur Road , Lucknow UTTAR PRADESH | Bachelor of Architecture Present Intake : 30 | (C) [A] Mr. SAJU CHERIYAN(M) [A] Mr. HARISH GUPTA | Reduction from 30 to 0 |
| The Matter was deferred as per request of the Institution. | | | | |
| 6 | [UP27] Accurate Institute of Architecture & Planning Plot no.49, Knowledge Park-III, Greater Noida UTTAR PRADESH | Bachelor of Architecture Present Intake : 80 | (M) Mr. SANJAY APPASO AWATE(C) Mr. ASHVIN CHIMANLAL MODY | Reduction from 80 to 60 |
| <p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |

| | | | | |
|---|--|--|--|-------------------------|
| 7 | [UP36] Axis Institute Of Architecture Hathipur/Khujaupur, Rooma Kanpur , Kanpur UTTAR PRADESH, pin code - 208001 | Bachelor of Architecture Present Intake : 40 | (C) Mr. R. KARUNAKARAN(M) Ms. VASANTA SOBHA TURAGA | Reduction from 40 to 20 |
| <p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 8 | [UP38] Monad School of Architecture & Planning Vill & Post-Office: Kastla Kasmabad P.O.Pilakhwa, Hapur UTTAR PRADESH | Bachelor of Architecture Present Intake : 20 | (M) Mr. LAKSHMANAN CT.(C) Mr. K.J.A.BULLI BABU | Reduction from 20 to 0 |
| The matter was deferred as per request of the Institution. | | | | |
| 9 | [MH17]-Mahatma Education Society's Pillais' College of Architecture Dr.K.M.Vasudevan Pillai's Campus 10, Sector 16, NEW PANVEL (Maharashtra) | Master of Architecture Present Intake : 20 | (C) Ms. NAMRITA SAUNDH (M) Ms. MANITA CHOUDHARY (M) Mr. CHITTARANJAN RAY | Reduction from 20 to 10 |

Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.

Decision of EC:

The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

| | | | | |
|----|--|--|---|---------------------------|
| 10 | [TN03]- Head of Department School of Architecture Adhiyamaan College of Engineering Dr. MGR Nagar, HOSUR-635 109 (Tamil Nadu) | Bachelor of Architecture Present Intake : 120 | (M) Ms. CHAITALI CHAMPAKLAL SHROFF (C) Mr. PAMSI DHARMENDRA DHANJIBHAI | Reduction from 120 to 100 |
|----|--|--|---|---------------------------|

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course.

Decision of EC:

The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

| | | | | |
|----|--|---|--|-------------------------|
| 11 | [HR19]-Delhi Global Institute of Architecture, Tigaon Road, Jasana Faridabad-121101 (Haryana) | Bachelor of Architecture Present Intake : 80 | (M) Ms. GAURI NITIN SHIURKAR (C) [A] Mr. AJAY KHARE | Reduction from 80 to 20 |
|----|--|---|--|-------------------------|

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in the show cause notice issued by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC to maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The EC noted that the Institution is still deficient as related to faculty requirement.

Decision of EC:

The EC fixed intake as 30 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

ITEM NO.3 TO CONSIDER REPLY/RESPONSE RECEIVED FROM INSTITUTIONS WHICH WERE ASKED TO PROVIDE RELEVANT INFORMATION/ CLARIFICATIONS BY THE COUNCIL FOR EXTENSION OF APPROVAL.

The Executive Committee considered the reply/ responses received from the Institutions as sought by it from them while considering their assessment reports for extension of approval of B.Arch. course and decided as under :

| | | | | |
|---|--|---|---|--|
| 1 | [TN24] Designed Environment Academy & Research Institute - DEAR Institute Thirupanchali Road, Pandiyapuram Tiruchirappalli District , Tiruchirappalli TAMIL NADU, pin code -621213 | Present Intake: 0 (Institution did not make admissions in last two academic sessions. Last valid Intake of 40 was accorded by Council during 2015-2016) | Details regarding faculty and Infrastructure for the last two academic sessions | (C) Mr. MADRAS SRINIVASAN(M) Ms. RASHMI ASHTT |
| <p>The Executive Committee considered letters dated 23.05.2018 & 29.06.2018 of the institution together with the assessment report of the Inspection Committee that visited the Institution for extension of approval of 5-year full-time Bachelor of Architecture (B.Arch.) degree course.</p> <p>The Executive Committee, after going through the same, has observed deficiencies related to faculty in Architecture and/or physical & academic infrastructure facilities in the conduct of said course at the institution. The EC noted that no details regarding latest salary, Form-16, TDS certificate/TRACES Form in respect of appointed faculty has been provided by the institution despite being requested by Council. Further, the college is under construction as reported by inspectors though in existence since 2009.</p> <p>The EC further noted that the Institution was asked to submit specific details about the faculty and infrastructure available at the institution during the last two academic sessions by the Council but same has not been supplied by the institution.</p> <p>The Executive Committee has therefore decided to issue show cause for reduction of intake in B.Arch. degree course from existing intake of 40 to 0, for the academic session 2018-2019 for non-maintenance of Minimum Standards of Architecture Education as prescribed by the Council.</p> | | | | |

ITEM NO.4 TO CONSIDER THE REPLY/RESPONSE(S) RECEIVED FROM INSTITUTIONS WHICH WERE ISSUED SHOW CAUSE NOTICES BY THE EXECUTIVE COMMITTEE FOR NON-MAINTENANCE OF MINIMUM STANDARDS OF COA.

The Executive Committee in previous meeting(s) while considering the assessment reports of the institution(s) for extension of approval/additional intake for B.Arch. degree course for the academic session 2018-2019 decided to issue show cause notices to certain institutions for non-maintenance of minimum standards of COA.

The Executive Committee considered the he replies/ response(s) received from such institutions and decided as under :

| S. No. | Institution | Inspectors | Intake | Decision |
|--|--|---|--|-------------------------|
| 1 | [GJ07] School Of Architecture Vadodara Design AcademyB/h. Banco Products, Off. Padra Road Bil-Chapad Road GUJARAT, pin code - 391410 | (M) Ms. SWAPNA CHARUDATTA JOSHI(C) Mr. ASHISH GUPTA | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |
| The Executive Committee perused the compliance submitted by the Institution alongwith Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 30 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 2 | [HR13] Amity School Of Architecture & Planning Amity University, Haryana Amity Education Valley, Village-Gwalior, Panchgaon Near Manesar , Gurgaon HARYANA, pin code -122413 | (C) [A] Mr. ASOK BARDHAN(M) Ms. BINUMOL TOM | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 30 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 30 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 3 | [KA09] Malik Sandal Institute Of Art & Architecture BIJAPUR 424, Nauraspur, Near New District Court Bagalkot Road, Hudco Cross , Bijapur KARNATAKA, pin code - 586101 | (C) Mr. T.L. SHAJI(M) Mr. DEVENDRA PRATAP SINGH | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 20 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |

| | | | | |
|--|--|---|--|-------------------------|
| 4 | [KA42] School of Architecture Angadi Institute of Technology & Management Savagaon Road, Near KHB Colony, Benkanahalli, Belagavi , Belgaum KARNATAKA, pin code -590009 | (M) [P] Mr. GOVINDRAO ALIAS CHANDAN KALIDAS PARAB(C) [A] Mr. GAJANAND RAM | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 5 | KL04-Faculty of Architecture National Institute of Technology Calicut (Deemed University), NIT-Calicut Campus P.O. KOZHIKODE-673 601 (Kerala) | No inspection | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 30 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 6 | [MH59] Oyster College Of Architecture Gat No.613, Mouza- Golatgaon Naginachi Wadi Jalna Road, Tah. & District , Aurangabad MAHARASHTRA, pin code -431201 | (C) Mr. K.SENTHIL KUMAR(M) Mr. RAJESH ARJUNSINGH ADVANI | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 30 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 7 | [MH82] Ideal College of Architecture R.S.No.377/A, At- Kondigre Tal-Shirol , Kolhapur MAHARASHTRA | (C) Mr. UDAYKUMAR HIRALAL SHELAT(M) [P] Mr. SAMIR RASTOGI | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |

| | | | | |
|--|--|---|---|-------------------------|
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 8 | [MZ01] Department of Planning and Architecture, Mizoram University, Tanhril, , AIZAWL MIZORAM | (M) [P] Ms. Namita Kumari Mohapatra(C) [P] Ms. S. CHITRA | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 9 | [PJ12] Department Of Architecture Punjab Institute Of Technology Sector-115, Kharar-Banur Highway Distt. SAS Nagar , Mohali PUNJAB, pin code -140301 | (M) [A] Mr. VINAYAK SAKHARAM ADANE(C) Ms. SONIA GUPTA | Bachelor of Architecture Present Intake : 30 | Reduction from 30 to 20 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 30 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 10 | [PJ14] School of Architecture, Shaheed Bhagat Singh State Technical Campus, Moga Road, NH-95, , Firozpur PUNJAB | (M) Mr. VENKAT MANOHAR RAO(C) Mr. YATIN NARENDRARA Y PANDYA | Bachelor of Architecture Present Intake : 30(Restoration Applied For:40) | Reduction from 30 to 20 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 30 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |

| | | | | |
|--|---|---|--|-------------------------|
| 11 | [TN02] Faculty Of Architecture National Institute Of Technology TIRUCHIRAPALLI, Tiruchirappalli TAMIL NADU, pin code -620015 | (C) [A] Mr. RAJARAM TUKARAM GOLGIRE(M) Mr. DUSHYANT PRABHAKAR KAMAT | Bachelor of Architecture Present Intake : 60 | Reduction from 60 to 40 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 60 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 12 | [TN06] School Of Architecture Arulmigu Meenakshi Amman College Of Engineering Thiruvanamalai Distt. Vadamavandal, Near Kancheepuram Namandi Post , Cheyyar Taluka TAMIL NADU, pin code - 604410 | (C) Mr. RAJARAM TUKARAM GOLGIRE(M) Mr. DUSHYANT PRABHAKAR KAMAT | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 20 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 13 | [TN15] Tamilnadu School Of Architecture TCE Campus, COIMBATORE TCE Campus, Karumathampatti, Coimbatore TAMIL NADU, pin code -641659 | (C) [P] Mr. RAJIV RAMPHER MISHRA(M) Ms. ANITA PRADEEP YAMMIYAVAR | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 30 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 30 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 14 | [TN69] MMES Academy of Architecture Hakeem Nagar, Melvisharam , Vellore TAMIL NADU | (C) Mr. V. Neilazo Metha(M) Mr. SHRI PRAKASH SANDILYA | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |

| | | | | |
|---|---|--|--|-------------------------|
| <p>The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.</p> | | | | |
| 15 | WB07-Amity School of Architecture and Planning, Amity University West Bengal, Plot no.AA-IIA/36, 37, 38, Action Area IIA, New Town, Kolkata-700 157, West Bengal | No inspection | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 30 |
| <p>The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.</p> | | | | |
| 16 | [GJ32] Alpha Institute of Architecture Studies, B/S.Lincon Polymers, Via Vadsar, Village-Khatraj, Taluka-Kalol, Arvind Mill-Khatraj Cross Road, , Gandhinagar GUJARAT, pin code -382721 | (M) [P] Mr. SANJAY VASUDEO CHAUDHARI (C) [P] Mr. VIJAY UPPAL | Bachelor of Architecture Present Intake : 40 | Reduction from 40 to 20 |
| <p>The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 40 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.</p> | | | | |
| 17 | [KA15] School of Planning and Architecture University of Mysore, 2nd Floor, Senate Bhavan, Manasagangotri P.O., Mysore KARNATAKA | (C) Mr. SATISH KUMAR(M) Ms. S. CHITRA(M) Ms. DEEPTI PANDEY | Bachelor of Architecture Present Intake : 80 | Reduction from 80 to 60 |
| <p>The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 60 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee.</p> | | | | |

| | | | | |
|--|--|--|---|-------------------------|
| 18 | [UA03] Faculty Of Architecture, Himgiri Zee University Village-Shishambara, Post-Selaqui , Dehradun Uttarakhand , pin code - 246745 | (C) Mr. TATHAGATA CHATTOPADH YAY(M) Mrs. Geetanjali Kapoor | Bachelor of Architecture Present Intake : 30 | Reduction from 30 to 20 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 20 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |
| 19 | [PJ06] Lovely Professional University, PhagwaraLovely Campus, Jalandhar-Ludhiana G.T.Road Near Chacheru Railway Bridge, Phagwara PUNJAB, pin code - 144402 | (M) Mr. GAURISH CHANDAWAR KAR(M) Mr. AJAY SAHEBRAO THOMARE(C) Mr. N. RAMASWAMY | M.Arch. (Executive) | Reduction from 20 to 10 |
| The Executive Committee perused the compliance submitted by the Institution along with Inspection Report and show cause notice issued to Institution. The Executive Committee after examining all the documents decided to fix the intake of the Institution to 20 for the Academic Year 2018-19 subject to compliance of deficiencies as pointed out by the Inspection Committee. | | | | |

ITEM NO.5 TO CONSIDER THE LETTER NO.34/56/2015-TPD(Services) FTS DATED 30.05.2018, RECEIVED FROM ADDL. ECONOMIC ADVISER / DIRECTOR, DEPARTMENT OF COMMERCE, MINISTRY OF COMMERCE & INDUSTRY, GOVT. OF INDIA, W.R.T. COUNCIL'S LETTER DATED 27.04.2018.

The Executive Committee perused the public grievance of Mr. Aseem Jena, Architect, regarding opportunities for Indian Architects in India and abroad for providing architectural services and letter No.34/56/2015-TPD (Services) FTS dated 30.05.2018 received from the Ministry of Commerce & Industry, Govt. of India, advising the Council to make necessary draft policy for approval by the Competent Ministry based on best practices followed globally.

As advised by the Ministry of Commerce and Industry, for making draft policy by the Council in the matter. It is proposed that the Central Government may frame Rules to regulate entry of foreign architects/firms in India in terms of Section 44 read with Section 37 (1) of the Architects Act, 1972.

The Executive Committee perused the draft Rules and decided that the same will be considered at the next meeting of the Committee so that the members could get sufficient time to read and make their suggestions.

ITEM NO.6 APPOINTMENT OF REPRESENTATIVES OF THE COUNCIL OF ARCHITECTURE ON THE BOARD OF GOVERNORS AND SENATE OF SCHOOL OF PLANNING AND ARCHITECTURE, NEW DELHI AND VIJAYAWADA.

The Executive noted and ratified the decision of the Chairman of nominating Shri R. Ramesh Kumar as nominee of the Council of Architecture on SPA Vijaywada and Shri Biswaranjan Nayak, President, as Nominee of Council on SPA New Delhi.

ITEM NO.7 TO CONSIDER THE PRESS RELEASE ISSUED BY THE MINISTRY OF HRD, GOVT. OF INDIA, REGARDING SETTING UP HIGHER EDUCATION COMMISSION AND THE DRAFT HIGHER EDUCATION COMMISSION OF INDIA (REPEAL OF UNIVERSITY GRANTS COMMISSION ACT) 2018.

The Chairman informed the members that the Ministry of HRD, Govt. of India, on 27th June, 2018 has issued a Press Release regarding setting up of Higher Education Commission of India by repealing UGC Act and seeking comments of different stakeholders by 7th July, 2018.

The Members perused the Draft Proposed Act and expressed their concerns regarding taking away of powers of the Council to deal with education and unanimously decided that a representation in the matter be sent to the Hon'ble Minister of HRD, Govt. of India.

ITEM NO.8 TO CONSIDER INTERIOR/ RENOVATION OF OFFICE SPACE OF COUNCIL AT NBCC PLACE, OKHLA, NEW DELHI.

The Executive Committee noted that it authorized the Chairman in its 183rd meeting vide Item No.14, to initiate further action on the Expression of Interests (EOI) received from 9 Architects/ firms for Interior/ Renovation of Council's office space at NBCC Place, Okhla, New Delhi. However, no further action could be initiated in the matter.

The Committee requested the Chairman to initiate appropriate action at the earliest in the matter.

ITEM NO.9 ANY OTHER ITEM WITH THE PERMISSION OF THE CHAIR.

a) **Restoration of Intake :**

| S.No | Name of Institution with code & Address | Course with intake | Decision |
|--|--|--------------------------|-------------------------|
| 1 | [JK01] School Of Architecture And Landscaping, College Of Engineering, SMVD University Campus, Katra, J & K College of Engineering Kakrial, UDHAMPUR JAMMU & KASHMIR, pin code -182121 | Bachelor of Architecture | Reduction from 40 to 30 |
| The Executive Committee perused the request of the Institution for restoration of intake to 40 alongwith Inspection report and other relevant papers and decided to fix the Intake of the Institution to 40. | | | |

b) **Consideration of Second Review received from Various Institutions against decision of the Executive Committee for reduction of intake:**

The Chairman, Executive Committee informed the members of the Executive Committee that the Council is in receipt of several requests from institutions requesting the Council to grant them a second opportunity to present their case before the Executive Committee since they could not fully present their case before the same.

The Executive Committee deliberated the issue and decided that the institutions, which have already availed of an opportunity to appear for review once before the Executive Committee and are not satisfied with the decision or have additional documents in support of their earlier review, be given opportunity to submit a second review with the Council, on payment of Review Charges of Rs.2,00,000/- (Two lakh only) in favour of "Council of Architecture". The institutions filing second review with the Council be granted personal hearing before the Executive Committee to present their cases.

| S.No | Name of Institution with code & Address | Course with intake | Inspector | EC Decision |
|---|--|--|---|-------------------------|
| 1 | KL26 - Marian College of Architecture & Planning Kazhakkuttom P.O. Thiruvananthapuram-695582, Kerala | Bachelor of Architecture Present Intake : 80 | (M) Mr. MILIND KESHAVRAO GUJARKAR (C) Mr. JITENDRA SINGH | Reduction from 80 to 60 |
| Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect. | | | | |
| Decision of EC: | | | | |

| | | | | |
|--|--|---|---|--------------------------------|
| <p>The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 2 | <p>MH67- Aditya College of Architecture C/o Aditya Educational Campus R.M.Bhattad Marg, Ram Nagar, Boravali (West) Mumbai-400 092 (Maharashtra)</p> | <p>Bachelor of Architecture Present Intake : 80</p> | <p>(C) Mr. INDRANIL SEN (M) Mr. M.R. KUMARCHANDRA</p> | <p>Reduction from 80 to 60</p> |
| <p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 3 | <p>GJ14-ITM School of Architecture Art and Design ITM Universe Campus, Dhanora Tank Road Paldi Village, Behind Hotel Supreme Halol Highway, Taluka Waghodia District Vadodara-390510</p> | <p>Bachelor of Architecture Present Intake : 80</p> | <p>(C) Ms. SHEEBA VALSSON (M) Mr. AMAN MAKOL</p> | <p>Reduction from 80 to 40</p> |
| <p>Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 60 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |

| | | | | |
|---|--|---|---|---------------------------------|
| 4 | RJ09- School of Architecture Apex Group of Institution IS-2018, Ramchandrapura Industrial Area Sitapura Extn. Jaipur-302022 (Rajasthan) | Bachelor of Architecture Present Intake : 40 | No Inspection | Reduction from 40 to 30 |
| <p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 5 | HR01- Sushant School of Art & Architecture Ansal University, Sector – 55, Golf Course Road GURGAON - 122 003 (Haryana) | Bachelor of Architecture Present Intake : 160 | (C) [A] Mr. ABHIJIT DIGAMBAR SHIRODKAR (M) Ms. SAPNA PAPU (M) [A] Mr. VINAYAK SAKHARAM ADANE | Reduction from 160 to 120 |
| <p>Representative(s) of the Institution/ management appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 160 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |

| | | | | |
|---|---|---|---|---------------------------------|
| 6 | KL22- KMEA College of Architecture Kuzhivelipady, Edathala P.O. Aluva, Ernakulam District Kochi-683561 (Kerala) | Bachelor of Architecture Present Intake : 80 | (C) Mr. NISHANT H. MANAPURE (M) Ms. ANUBHA | Reduction from 80 to 40 |
| <p>Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 7 | TN13- MEASI Academy of Architecture "Association Gardens", New College Campus 87, Peter's Road, Royapettah CHENNAI-600 014 (Tamil Nadu) | Bachelor of Architecture Present Intake : 160 | [A] Mr. D.VIJAYA KISHORE (M) Ms. PRAJAKTA SHAILESH BASTE (M) Ms. SUCHITA MANOHAR SAYAJI | Reduction from 160 to 140 |
| <p>Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.</p> <p>Decision of EC:</p> <p>The EC fixed intake as 160 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.</p> | | | | |
| 8 | TN50- School of Architecture Coimbatore Institute of Engineering and Technology Vellimalai Pattinam, Narasipuram Post Thondamutur Via Coimbatore-641109 (Tamil Nadu) | Bachelor of Architecture Present Intake : 80 | (C) Ms. LAXMI NAGRAJ (M) Mr. DHANANJAY MAHADEORAO DESHPANDE | Reduction from 80 to 60 |

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.

Decision of EC:

The EC fixed intake as 80 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

| | | | | |
|---|--|--|---------------|-------------------------|
| 9 | PJ13- CT Institute of Architecture and Planning, Shahpur, P.O.Udhopur, Via- Jamsheer Khas, District Jalandhar-144020, Punjab | Bachelor of Architecture Present Intake : 40 | No Inspection | Reduction from 40 to 20 |
|---|--|--|---------------|-------------------------|

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.

Decision of EC:

The EC fixed intake as 40 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

| | | | | |
|----|---|---|--|--------------------------|
| 10 | DL07-MBS School of Planning and Architecture PSP Area, Sector-9, Dwarka NEW DELHI-110 075 | Bachelor of Architecture Present Intake : 120 | (M) Ms. RAJKUNWAR NAYAK (C) Mr. ABIR BANDYOPADHYAY | Reduction from 120 to 80 |
|----|---|---|--|--------------------------|

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.

Decision of EC:

The EC fixed intake as 120 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

| | | | | |
|-----|---|--|--|------------------------|
| 11. | HR16-South Point School of Architecture Sector-20, Purkhas Road, Near Sugar Mill Sonipat-131001 (Haryana) | Bachelor of Architecture Present Intake : 20 | | Reduction from 20 to 0 |
|-----|---|--|--|------------------------|

Representative(s) of the Institution appeared before EC. EC inquired from the institution regarding the deficiencies pointed out in inspection report on the basis of which the intake of the Institution was reduced by the Council. The representative(s) informed the EC about the compliance/action taken by the institution on the deficiencies and assured the EC that they will maintain the minimum standards of architectural education prescribed by the Council for imparting the said course. The representatives of the Institution also assured that the required faculty shall be appointed before commencement of the new session. The EC directed the Institution to submit an undertaking to this effect.

Decision of EC:

The EC fixed intake as 20 for the academic session 2018-2019, subject to appointment of adequate cadre-wise faculty as per COA Norms and rectification of deficiencies as pointed out by the Council before commencement of new academic session.

No other item was discussed.

The meeting ended at 7.00 p.m. with a vote of thanks to the Chair.

R. K. Oberoi
Registrar – Secretary

Biswaranjan Nayak
Chairman
Executive Committee

Dated :